



## MINIMUM TEST TIMES FOR VACUUM TESTING

MH Depth (ft.)	MH Diam. (in.)					
	48	54	60	72	84	96
	Minimum Test Time (sec.)					
8	20	23	26	33	38	44
10	25	26	33	41	47	55
12	30	36	39	49	53	66
14	35	41	46	57	62	77
16	40	46	52	67	71	88
18	45	52	59	73	80	99
20	50	53	65	81	89	110
22	55	64	72	89	98	121
24	59	64	78	97	107	132
26	64	75	85	105	116	143
28	69	81	91	113	125	154
30	74	87	98	121	134	165
32	79	92	105	129	143	176
34	84	99	112	137	152	187
36	89	105	119	145	161	197
38	94	111	126	153	170	207
40	99	117	131	161	179	218